


**ZILLA SWASTHYA SAMITI, JAGATSINGHPUR**  
**TENDER CALL NOTICE**

Notice No: 3981

Date: 01.10.2022


Sealed tenders are invited from interested / bonafide / Registered printing Agency for supply of various printing materials on annual rate contract basis to C.D.M & P.H.O, Jagatsinghpur. The details regarding specifications, terms and conditions may be downloaded from district website [www.jagatsinghpur.nic.in](http://www.jagatsinghpur.nic.in). The bids in sealed envelope should be super scribed as Tender for supply of different IEC Material and reach the office of the undersigned by dt. 18th/Oct/2022 till 4.00 P.M along with all relevant documents. The tender will be opened at 4.30 P.M on dt. 18th/Oct/2022, Bidders or their Authorized Representatives may attend. The undersigned reserves the right to reject any or all the tenders without assigning any reason thereof.

Sd/  
C.D.M & P.H.O-cum-District Mission Director  
Jagatsinghpur

  
C D M & PHO-Cum-DMD  
Jagatsinghpur

**TENDER DOCUMENT FOR PRINTING OF MATERIALS**


1. Sealed tenders are invited from interested agencies having adequate experience in printing & supply of different type of printing assignments.
2. Interested bidders may obtain details terms and conditions from "tenders" link of Jagatsinghpur district website [www.jagatsinghpur.nic.in](http://www.jagatsinghpur.nic.in) for taking up this assignment. The sealed tender will be received through Registered Post / Speed Post/courier only on or before dt. 18th / Oct/2022 by 4:00 PM. The bids received through hand / Telex / Telegrams / Fax / Email shall not be acceptable. The bids will not be accepted after last date and time specified in the tender document. It will be opened on dt. 18th / Oct/2022 at in the Office chamber of CDM & PHO, Jagatsinghpur.
3. The bidders shall ensure that each page of the tender document is to be signed with authorized signatory and organization seal.
4. The tender will be in two parts i.e. technical bid. (Cover-A) and price bid (Cover-B). The bidders should give their technical and financial proposal separately in two envelopes and should be put into another cover super scribed as "Tender for supply of different printing materials with reference to advt. no- 3981".
5. The technical bid and price bid should be sealed in separate envelope otherwise bid will be rejected. The bid will be rejected for any shortfall of required documents as per terms and conditions. further add-on of documents are allowed after receipt of the sealed document at this end. in the future. The tenders should be addressed to :  
**CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER**  
**Jagatsinghpur**  
**At/Po- Jagatsinghpur-754103**  
**Dist- Jagatsinghpur**
6. It is suggested that the perspective bidders may submit their tender after clarifying doubts at the above mentioned address between 11.00 AM to 4.00 PM on all official working days from the date of issue of notification till the last date of submission tender.
7. Bidders who qualify in the technical bid will only be eligible for financial evaluation.
8. Quantities may be increased / decreased by the tender inviting authority as per the requirement.
9. The quoted price shall remain valid for a period of 1 year from the date of approval and .
10. The items should to be supplied and installed maximum within **10** days from the date of purchase order / award of work order. The CDM&PHO, Jagatsinghpur reserves the right to cancel the order in the case of delay in delivery of all the items.
11. It would be the responsibility of the Bidder's representative (only one person per bidder) to be present at the venue of opening of Bids. In case absence of any bidder then bid document could be opened by the committee members.
12. The items delivered should be as per the specification mentioned with clear visibility of contents. If found defective, the same has to be replaced immediately within seven days & total cost will be borne by the concerned awarded party.
13. **Successful L1 bidder could also be provided with other printing items not mentioned in the below mentioned table with similar specifications and approved rate within contract period.**

  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur

SPECIFICATIONS

Sl. No	Name of the Item	Specification
01	Poster	1) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art paper.
02		2) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.
03		3) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper.
04		4) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.
05	Leaflet	1) Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print - Single side
06		2) Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print – both side
07		3) Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Single Side
08		4) Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Both side.
09	Change of Cotton Fabrics Flex banner for Hoarding	Size-per square ft. (with fitting in 8 nos. block institute and 2 nos. Of urban unit inside Jagatsinghpur district)
10	Wall Painting	Size – per sq. ft., Process – Multi color with water proof ,plastic enamel paint, one base cote primer coating on the wall before painting.
11	Painting of natural art	Size – per sq. ft., Process – Multi colour (four colour), Real Art Painting with enamel color.(plastic paint weather registrant) one base cote primer coating on wall before painting.)
12	Health Institute Branding	Size – per Sq.ft. Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.
13	Tin Plate	Size- per sq. ft : Tin coated, Thickness- 1 mm with message and fitting of different block, Urban and HWCs inside of Jagatsinghpur district as per order.
14	Screening register	Unit : Register; Size : (Closing Size : 32 cmx20 cm) Inner Pages: per sheet; Inner paper: 70 GSM Map litho White Paper ; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.
15	Display Board	Size – per sq. ft., Iron gauze bar 20 Gauze 1", Printing of message on fabric cotton flex & pasting print quality front lit them.

16	Branding Board	Size per Sq. ft. Board Printed Tin sheet 1 MM OR Tin sheet pasted with Matt Laminated printed vinyl with the frame of 1"x1". L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5 out of which 1ft to be inside ground with Concrete reinforcement. All fixing of the display board should be done by applying welding for strength and longevity .
17	Institution coloring	Size – per sq. ft., Process – Multi color with water proof ,plastic enamel paint, one base cote primer coating on the wall before coloring.
18	ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.
19	Folder	Size: A3, process-Multy color, paper-170 GSM Art paper 3 fold with six pages.
20	Folder	Size : A4 process: Multi color Paper-170 GSM Art paper 2 page Folder
21	TABULEX (RATH)	(i) TATA AC Vehicle Covering Four side & top with Iron frame & fixing of flex, fixing of 1 Mike set with Battery DOL as per approval( Maximum 10 km/ litter ) per day.
22	Handout for AWW /ASHA /ANM(6 Page Folder)	<b>Unit: Booklet; Paper Size : A4; No. of sheets : 1; Printing Type : Both side Multi color; Paper Quality : 170 GSM White glossy paper</b>
23	ASHA Standard Reporting Format in Duplicate	Unit: Booklet; Paper Size : A5; No. of sheets : 100 (single side printing); Printing Type : Single side, Black, Paper Quality : 70 GSM White Map litho paper;
24	Treatment Card	Size: A4, paper 300 GSM non glossy, printing multi color.
25	Booklet	Size: A4 printing multi color with paper GSM-80 and stitching on middle.
26	Booklet	Size: A4 printing single color with paper GSM-80 and stitching on middle.
27	Reporting Format A4 size 2 side	Unit: single sheet; Paper Size : A4; No. of sheets : 100; Printing Type : one side Black color Paper Quality : 70 GSM White paper
28	Reporting Format A4 size 2 side pad	Unit: Booklet; Paper Size : A4; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper, Binding : Top side
29	Reporting Format A4 size 1 side	Unit: single sheet; Paper Size: A4; No. of sheets: 100; Printing Type : single side Black color; Paper Quality : 70 GSM White paper.
30	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: both side Black color Paper Quality: 70 GSM White paper, Binding: top binding.
31	Reporting Format legal size	Unit: Booklet; Paper Size : Legal; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper

  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur

32	HMIS reporting format- SC/PHC/CHC/DHH	<p>Unit: Booklet; Institutions reporting Format (SC/PHC/CHC/DHH)</p> <p><b>SC Format</b>-pages required per inst. Per annum -8 pages x 2 nos (original + Duplicate) = 16 pages P.M. x 12 months=192 pages no. of pages.</p> <p><b>PHC/UPHC Format</b> – pages required per inst. Per annum-12 pages x 2 nos.(original+ Duplicate)=24 pages P.M. x 12 months=288 pages.</p> <p><b>CHC Format</b>-pages required per inst. Per annum-13 pages x 2 nos.(Original + Duplicate)=26 pages P.M. x 12 months=312 pages, no. of pages.</p> <p><b>DHH Format</b>-pages required per inst. Per annum 14 pages x 2 nos. (original + Duplicate)=28 pages per month x 12 months=336 pages.</p> <p>Paper size A4 paper quality 70 GSM White Map litho paper. Binding Type :Top pad binding, printing cover pages mentioning month, year, name of the facility with hard straw board on back side , Cover page 1 colour cover page of 70 GSM .one original &amp; duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tear able.</p>
33	ASHA Voucher	<p><b>Unit: Booklet</b>; Paper Size : 1/8 ; No. of sheets : 100 ( single copy ); Printing Type : <b>Single side black, Receipt binding with par-potting &amp; unique numbering</b>; Paper Quality : 60 GSM color Map litho paper; cover print paper : 130 GSM art paper; Print: Both side; colour: Multi colour.</p>
34	Vinyl Printing	Solvent Vinyl Printing (per sq. ft. wise )
35		Eco Solvent Vinyl Printing (per sq. ft. wise)
36	SUN BOARD	Vinyl multi color Printing of message on fabric cotton flex & pasting print quality front lit them.
37	Branding Material Acrylic Signage Display (Sandwich Model)	<p>Base Sheet : Imported Acrylic Sheet Size (3x2)Ft &amp; 4mm thickness</p> <p>Topping Sheet : Imported Acrylic Sheet Size (3x2)Ft &amp; 3mm thickness</p> <p>Fitting Type : Wall Mount by stainless steel stud (all 4 corners)</p> <p>Printing : Multicolor Eco-solvent Vinyl Printing</p> <p>Lamination : Gloss type Lamination</p> <p>Pasting: Flash cut and should be orderly pressing without air bubble inside LED fitting fro Glow with sign in light.</p>
38	Standee	<p>Width: 3 feet with aluminum base with cotton fabric flex</p> <p>Height: flexible aluminum rod extendable minimum of 6 feet height.</p> <p>Flex: 3 feet x 6 feet (two set)</p>
39	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.
40	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.
41	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.
42	Mini Hoarding (6 x3) ft	<p><b>Hoarding category-1</b></p> <p>Display area : 6 ft x3 ft</p> <p>Display material : Preferably 18 gauge printed or printed tin plate</p> <p>Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete</p> <p>Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron angle should be used)</p>
43	Mini Hoarding Installation (4 x 3) ft	<p><b>Hoarding category-2</b></p> <p>Display area : 4 ft x3 ft</p> <p>Display material : Preferably 18 gauge printed or printed tin plate</p> <p>Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used)</p> <p>Base (Inside ground) 2 ft in side cement concrete</p> <p>Above Ground: Ground to Top 8 ft.</p> <p>Length: 4 ft L iron angle (2" L iron angle should be used)</p>
44	Hoarding	<p><b>Hoarding category-3</b></p> <p style="text-align: right;">ky 5/15/2022 D M &amp; PHO-Cum-DMD Jagatsinghpur</p>

	Installation (8' x 16') fts.	<p>Display area : 8 ft x16 ft</p> <p>Display material: Cotton fabric Flex should be best quality with digital multicolored printing.</p> <p>Flex should be fixed by iron pipes and GI wires.</p> <p>Base (Inside ground) 3 ft in side cement concrete</p> <p>Above Ground: structure of the hoarding will be 5 ft height from ground level.</p> <p>Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2"</p> <p>The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
45	Hoarding Installation (6' x 10') fts.	<p><b>Hoarding category-4</b></p> <p>Display area : 6 ft x10 ft</p> <p>Display material: Cotton fabric Flex should be best quality with digital multicolored printing.</p> <p>Flex should be fixed by iron pipes and GI wires.</p> <p>Base (Inside ground) 2.5 ft in side cement concrete</p> <p>Above Ground: structure of the hoarding will be 5 ft. height from ground level.</p> <p>Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2"</p> <p>The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
46	Mini Hoarding Installation (4' x 3') fts.	<p><b>Hoarding category-5</b></p> <p>Display area : 4 ft x3 ft</p> <p>Display material: Cotton fabric Flex should be best quality with digital multicolored printing.</p> <p>Total height inside the ground 10 fts. L iron angle ( 2' L iron angle should be used) based (inside ground) 2 fts. Inside cement concrete.</p> <p>Above ground to TOP 8 fts.</p> <p>Length : 4 fts. L iron angle ( 2" L iron angle should be used.)</p> <p>Installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
47	Mini Hoarding Installation (6' x 3') fts.	<p><b>Hoarding category-6</b></p> <p>Display area : 6ft x3 ft</p> <p>Display material: Cotton fabric Flex should be best quality with digital multicolored printing.</p> <p>Total height inside the ground 10 fts. L iron angle ( 2' L iron angle should be used) based (inside ground) 2.5 fts. Inside cement concrete.</p> <p>Above ground to TOP 8 fts.</p> <p>Length : 6 fts. L iron angle ( 2" L iron angle should be used.) Mid joist bar to support display material: 3 fts. L iron angle ( 2 L iron angle should be used.</p> <p>Installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
48	Mini Hoarding Installation ( 10x 8) fts.	<p><b>Hoarding category-7</b></p> <p>Display area : 10 ft x8 ft.</p> <p>Display material: Cotton fabric Flex should be best quality with digital multicolored printing</p> <p>Total height from inside the ground : 10 fts. L iron angle (2" L iron Angle should be used)</p> <p>Base(inside ground) 2 ft. in side cement concrete</p> <p>Above Ground : Ground to Top 8 fts.</p> <p>Length : 4 fts. L iron angle ( 2 L iron angle should be used)</p> <p>hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting</p>

		and one year AMC. Etc.
49	Hoarding Installation (15' x 30') fts.	<p><b>Hoarding category-8</b>  Display area : 15 ft x30 ft  Display material: Cotton fabric Flex should be best quality with digital multicolored printing.  Flex should be fixed by iron pipes and GI wires.  Base (Inside ground) 3 ft in side cement concrete  Frame should be iron angle  Above Ground: structure of the hoarding will be 5 ft. height from ground level.  Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2"  hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
50	Hoarding Installation (15' x 12') fts.	<p>Hoarding category-9  Display area : 15 ft x12 ft  Display material: Cotton fabric Flex should be best quality with digital multicolored printing.  Flex should be fixed by iron pipes and GI wires.  Base (Inside ground) 3 ft in side cement concrete  Frame should be iron angle  Above Ground: structure of the hoarding will be 5 ft. height from ground level.  Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2"  hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>
51	Canopy	Foldable/Movable size; 6'x6'x7' Fabric media: water proof, printing: Multy color printing inside of the canopy to be display.
52	<b>Sticker</b>	Per sqt. multi color printing in paper water registrant, self gum pasting
53	<b>Register</b>	Size 42 cm x 29 cm for one side printing with hard card board & cloth binding paper quality : 70 GSM 400 pages
54	<b>Register</b>	42 cm x 29 cm for both side printing with hard card board & cloth binding paper quality : 70 GSM 100 pages
55	Register	size 34 cm x 21 cm for one side of register hard card board with cloth binding 70 GSM paper with 100 pages
56	Register	size 34 cm x 21 cm for both side of register hard card board with cloth binding 70 GSM paper with 400 pages
57	Register	A4 size forms with both side printing and hardboard binding register of 100 sheets 70GSM, EACH
58	Register	A4 size forms with one side printing and hardboard binding register of 100 sheets 70GSM, EACH
59	Register	A3 size forms with one side printing and hardboard binding register of 100 sheets 70GSM, EACH
60	Register	A3 size forms with both side printing and hardboard binding register of 100 sheets 70GSM, EACH
61	Register	A3 Size both side printing multi colored front page & back page , inner black & white printing 100GSM paper with hard board binding. per 100 sheets
62	Register	A3 size both side printing. Multi colour in front page and inner 4 multi colored index pages. One register contain 250 pages excluding front back and index pages with numbering. Hard board binding.100GSM

63	Register	Size: A4, multicolor (cover page with inner 3 pages) inner 60 pages black & white 70 GSM Map Litho paper, spiral binding. 170 GSM art paper (cover page & back page with inner 3 pages)
64	Register	A3 size landscape 72 GSM one side printing per 100 sheets with binding
65	Register	A3 size landscape 72 GSM both side printing with binding
66	Register	A3 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside:</b> 95 GSM map litho <b>Printing:</b> Black and white; both side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left side; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 101 sheets (with number)
67	Register	A3 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside:</b> 95 GSM map litho <b>Printing:</b> Black and white; both side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left side; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 151 sheets (with number)
68	Register	A4 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside :</b> 70 GSM paper with two carbon copies <b>Printing:</b> Black and white; single side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left; Perfect sewn; with perforation <b>No. of Pages:</b> 50 sheets + 2 sheets carbon copy each (with number) for carbon copies same number as original with perforation.
69	Register	A4 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside :</b> 70 GSM map litho paper <b>Printing:</b> Black and white; both side; portrait <b>Binding:</b> Good quality hard board register binding; binding gutter on left; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 100 sheets (with number)
70	Register	<b>Letter size Inside:</b> 50GSM paper with one yellow carbon copy <b>Printing:</b> Black and white; single side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left; with Perforation <b>No. of Pages:</b> 50 sheets white + 50 sheets yellow.
71	Log book	Half Crown sized 170GSM Front and back pages. Single colour back side and front side. Half crown sized 70GSM Map Litho inner white paper with black and white both side printing. One booklet contains 36 pages excluding front side & back side.
72	Challan book	Size-Demy 1/4 <sup>th</sup> ,process-Single side Black & white, Binding-Original white(perforating),duplicate yellow(perforating),Triplet pink, Each Book contains 150 pages(3×50) with hard board binding
73	Reporting Format	A3 size Forms with one side printing 70GSM,Per hundred
74	Reporting Format	A3 size Forms with both side printing 70GSM,
75	Reporting Format	A4 size forms with one side printing perforated sheet ,70GSM,
76	Reporting Format	A4 size forms with both side printing 70GSM,
77	Reporting Format	A4 size forms with one side printing 100GSM,
78	Reporting Format	A4 size landscape 50 GSM one side printing


79	Reporting Format	A4 size landscape 50 GSM both side printing
80	Format	A4 size forms with one side multi color printing 70 GSM Map litho paper each
81	Format	A4 size forms with both side multi color printing 70 GSM Map litho paper each
82	Reporting Format	A4 size forms with both side printing and binding (with cardboard in last page) with 100 sheet with perforation 70GSM,
83	Reporting Format	A4 size forms with one side printing with 100 sheet pad with perforation 70GSM
84	Reporting Format	A4 size forms with one side printing multi color with 100 sheet pad with perforation 70GSM,
85	Reporting Format	A4 size forms with both side printing multi color with 100 sheet pad with perforation 70GSM,
86	Reporting Format	A4 size forms with both side printing with 1 sheet with perforation 300GSM,
87	Reporting Format	A4 size forms with one side printing with 1 sheet with perforation 300GSM
88	Reporting Format	A4 size form with one side printing 200 GSM Paper one side printing .
89	Reporting Format	A4 size form with one side printing 200 GSM Paper both side printing .
90	Reporting Format	1/8 size forms with one side printing with 100 sheet pad with perforation 70GSM.
91	Reporting Format	1/4 size forms with one side printing with 100 sheet pad with perforation 70GSM.
92	Reporting Format	1/6 size forms with one side printing with 100 sheet pad with perforation 70GSM.
93	Reporting Format	1/16 size forms with one side printing with 100 sheet pad with perforation 70GSM.
94	Reporting Format	1/32 size Reg. Receipt with one side printing with 100 sheets A4 pad with numbering with book binding & perforation 48 GSM.
95	Reporting Format	1/16 size Reg. Receipt with one side printing with 100 sheets pad with numbering with book binding & perforation 48 GSM.
96	Reporting Format	A3 size Forms with one side printing 300GSM, Landscape centre folding with binding and belt .
97	Reporting Format	A5 300GSM, both side printing .
98	Reporting Format	A5 300GSM, one side printing .
99	Reporting Format	Colour Envelopes size 15X12 48 GSM.
100	Reporting Format	Colour Envelopes size 12X12 48 GSM .
101	Reporting Format	Colour Envelopes size 12X10 48 GSM.
102	Reporting Format	Colour Envelopes size 10X8 48 GSM.
103	Reporting Format	Colour Envelopes size 6.5X8.5 48 GSM.

**N.B:** The rate should be inclusive of DTP, Designing, individual block wise packing & transportation cost to district office.

**Delivery Schedule:** Within 10 days from the date of purchase order received by the successful bidder, it may change as per qty. Consignee: Chief District medical & Public Health Officer, Jagatsinghpur.

ka  
01/10/2021  
C D M & PHO-Cum-DMD  
Jagatsinghpur

## TERMS AND CONDITIONS

Terms & Conditions		Documents to be Submitted
1	The organization should be a bonafide registered body.	Photocopy of registration certificate
2	The organization should have been registered with GST.	Photo copy of GSTIN with copy of updated return.(April to Aug-22)(GSTR-3B & SGTR-1)
3	The organization should have valid PAN	Photo copy of PAN
4	Average annual turnover should not be less than 30 lakhs for last 3 consecutive financial years. [i.e. –2018-19, 2019-20 & 2020-2021].	Copy of turnover statement duly certified by CA on his letter head along with audited financial statement of specified financial year (Annexure – III)
5	Copy of income tax return for last 3 consecutive financial year. The bidder should have last three year working experience in printing & advertising of similar nature [i.e –2018-19, 2019-20 & 2020-21].	Copy of ITR-V of specified Financial Year and submission of Preoccupy (Work order with end user certificate on successful completion in support of work should be attached).
6	<b>Tender paper cost of Rs.2,000/-</b> by way of Demand Draft, drawn on any Nationalized Bank in favour of <b>"ZSS Non-NRHM Fund Account Jagatsinghpur"</b> payable at Jagatsinghpur. However, the firms having DIC/MSME registration are exempted to deposit paper cost.	Demand Draft on any nationalized bank OR Copy of DIC/MSME Registration certificate and exemption certificate to be submitted
7	Tender must be accompanied by <b>E.M.D of Rs.20,000/-</b> by way of Demand Draft drawn on any Nationalized Bank in favour of <b>"ZSS Non-NRHM Fund Account, Jagatsinghpur"</b> payable at Jagatsinghpur. However, the firms having DIC/MSME registration are exempted to deposit the E.M.D. The DIC/MSME Registration certificate and exemption certificate to be submitted in the technical bid. Tenders if not accompanied by E.M.D will not be considered. E.M.D of unsuccessful bidder will be returned without interest on finalization of bid. E.M.D of successful bidder will be retained & will be refunded on successful completion of the job without interest.	Demand Draft on any nationalized bank OR Copy of DIC/MSME Registration certificate and exemption certificate to be submitted
8	The organization will have to submit an <b>Affidavit (On original Stamp Paper of Rs.20.)</b> with the following clauses:-  A. It has not been blacklisted by any Government Organization  B. The organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law.  C. The office will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.  D. That the organization agrees to abide by all terms & conditions of tender	Original Affidavit in Non-Judicial stamp paper of Rs.20 (Annexure-II)  

9	The organization will quote prices with inclusive of DTP, Designing, individual block wise packing & transportation cost to district office. All the supporting documents must be self-attested by the authorized signatory.
10	Conditional Tenders are liable to be rejected. In the event of acceptance, CDM&PHO decision will be final. The tender, which is not as per the required specifications, will not be considered.
11	If the successful bidder/ bidders fail to supply within the stipulated period i.e. 10 days from date of receipt of final supply order from CDM & PHO, Jagatsinghpur, liquidated damage @ 0.5% of the order value, per week of delay shall be deducted from the final payment. Maximum delay time acceptable is 8 weeks. Hence, the maximum liquidated damage shall be up to 4% of purchase order. If the bidder fails to supply within the maximum delay time his order stands cancelled automatically.
12	The CDM & PHO will not pay any advance payment to the organization. The organization will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in that regard.
13	All information, documents and data coming in the possession of the organization as a result of execution of the job shall at all time remain the property of the CDM & PHO, Jagatsinghpur. The organization shall not make or allow any of his employee or agents etc. to make an unauthorized copy, use, access or other utilization of this material commercially or otherwise, directly or indirectly except as agreed to by the Office. The organization shall also ensure complete confidentiality of the information and data provided to it in the course of carrying out the job.
14	Bidder must have sound knowledge of latest intellectual and property right. The authority who assigns the work is no way responsible for any deviation made by the supplier in this regard.
15	The cost towards the testing of paper/printing material will be borne by the successful bidder.
16	The suppliers shall also ensure that the quality and quantity has to be as per the supply order and approved rate contract in the tender. The supply of items shall be made immediately according to order after placing the supply order by the Office of CDM & PHO, Jagatsinghpur and supplier shall submit the bill for payment at the approved rate in respect to the quantity of items supplied. The transportation of items is sole responsibility of the supplier and must deliver the item on door delivery basis.
17	Under no circumstance shall the organization appoint any sub-contractor or sublease the contract. If it is found that the organization has violated these conditions the contract will be terminated forthwith without any notice and also the security deposited by the organization if any shall be forfeited.
18	Rates quoted against this tender notice shall remain valid up to 12 months after award of first contract and may be extendable up to next tender with due consent from both parties. No request for increase in rates, if any, will be allowed or entertained during this period.
19	The head of the organization (bidder) should submit an authorization and specimen signature of their authorized signatory.
20	Rates should be quoted inclusive of cost of paper, design, proof reading, DTP, printing as per specifications, transportation to the consignee place & excluding of charges of GST & other taxes as applicable.
21	The tender should reach in prescribed format to the <b>"Chief District Medical &amp; Public Health Officer, Jagatsinghpur, AT/Po. – Jagatsinghpur PIN-754103"</b> only through Speed Post/Regd. Post/courier on or before <u>18th / Oct / 2022</u> till (4.00 P.M). The tender shall be opened on <u>18th / Oct / 2022</u> at in the office chamber of C.D.M & P.H.O, Jagatsinghpur in the presence of bidders or their authorized representative who may wish to be present. The envelope must be superscripted with <b>"TENDER FOR SUPPLY OF DIFFERENT PRINTING MATERIALS IN REFERENCE TO ADVT. NO- _____"</b>
22	All legal disputes are subject to the jurisdiction of Court of District Judge Jagatsinghpur only.
23	The CDM & PHO reserves the right to accept or reject any or all the tenders without assigning any reasons whatsoever.

**TECHNICAL BID:**

Documents with support to point no. 1 to 9 of tender condition must be attached with technical bid otherwise bid will be rejected. The bid will be liable for rejection for any deviation in format and bid procedure as mentioned in tender document.

**1. PRICE BID**

- i. Hard Copy signed & sealed both in words and figures as per **Annexure - IV**.
- ii. The Price bid of the technical qualified bidders will only be opened.
- iii. The net quoted price (Cost of Printing along with all transportation and all taxes ) should both in figures and words. In case of difference in words and figures, words will be taken into consideration for evaluation.
- iv. Rate should be quoted as per unit mentioned in the financial bid.

**2. EVALUATION :**

The rates of the item quoted by the technically qualified bidders will be evaluated after taking the following points into consideration: -

- A. Rate of items of each bidder will be taken after excluding of all taxes as applicable.
- B. After Evaluation the lowest Eligible Bidder (Net Price) will be selected.

  
C D M & PHO-Cum-DMD  
Jagatsinghpur

**TECHNICAL BID FOR PRINTING MATERIALS****ANNEXURE - I**

1	Name of the Organization	
2	Address of the organization	
3	Name of authorized signatory and contact details	
4	Organization registration Certificate	
5	DIC / MSME certificate, if any	
6	Detail of tender paper fee non refundable ₹.2,000/- (Rupees two thousand. For DIC/MSME registered Agencies, No Paper fees.	
7	Detail of EMD Rs. 20,000/- (Rupees twenty thousand) For DIC/MSME registered Agencies, No EMD	
8	GST regd. Certificate	
9	PAN	
10	Self declaration that the organization agrees to abide by all terms & conditions of tender in Non Judicial Stamp paper (Annexure-II)	
11	Copy of last three years order of similar printing /job work from Govt. Organization.	
12	Average annual turnover 30+,00000 for last three F.Y 2018-19, 2019-20 & 2020-21 in certificate format attached annexure-III attached <b>otherwise Rejected.</b>	
13	Bank Details	


**DECLARATION**

I / we hereby certify that the terms and conditions, specification etc. given with the tender notice have been read carefully and acceptable to me/us and that the information furnished above is full and correct to the best of by /our knowledge. I / we understand that in case of any deviation in the above statement at any state, the Firm/Agency will be blacklisted and will not have any dealing with in future.

Place

(Signature and seal of the authorized signature)

Date

  
C D M & PHO-Cum-DMD  
Jagatsinghpur

**SELF DECLARATION FORM**

(To be submitted on Bidder's in Rs.20/-non-judicial paper)  
[To be submitted in Technical Bid]

To  
**CHIEF DISTRICT MEDICAL AND PUBLIC HEALTH OFFICER**  
Jagatsinghpur  
At/Po- Jagatsinghpur-754103  
Dist- Jagatsinghpur

Dear Madam/Sir,

**Sub:** Your Tender Ref. No. \_\_\_\_\_, Dated \_\_\_\_\_.

I / We hereby declare that our organization is having unblemished past record and was not under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India or any State Government/PSU in the country of India. It has not been black listed by any Govt. Organization.

That the organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law.

That the tendering authority will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.

Further, we agree to abide by all the terms and conditions as mentioned in the tender document.

We have also noted that CDM&PHO Jagatsinghpur reserves the right to consider/ reject any or all bids without assigning any reason thereof.

**Date:** \_\_\_\_/\_\_\_\_/2022

**Authorized Signatory:**


**Name:**

**Designation:**

**Place:**

**Phone:**

**Email:**

  
07/10/2022  
CDM & PHO-Cum-DMD  
Jagatsinghpur

**ANNEXURE – III**

(To be submitted in **Cover A -Technical Bid**)  
 (To be furnished in the **letter head** of the Auditor/ Chartered Accountant)

**ANNUAL TURN OVER STATEMENT**

The Annual Turnover for the last three financial years of M/s\_\_\_\_\_ who is a Manufacturer /Distributor/supplier (Pl. tick whichever is applicable) are given below and certified that the statement is true and correct.

Sl.No.	Year	Turnover in (Rs.)
1.	2018 - 2019 (FY)	-
2.	2019 - 2020 (FY)	-
3.	2020 - 2021 (FY)	-

**Average Annual Turnover** (for the above three years) in (Rs.) \_\_\_\_\_

Date:  
Place:


Signature of Auditor/  
Chartered Accountant  
(Name in Capital)

Seal

Membership No.-  
Registration No. of Firm


**Note:**

- a) To be issued in the **letter head** of the Auditor/Chartered Accountant mentioning the Membership no.

  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur


**ANNEXURE – IV****PRICE BID PRINTING MATERIALS**

Sl. No.	Name of the Item	Specification	Base (Including of all cost) price	% of GST	GST Amount	Total price
01	Poster	5) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art paper.				
02		Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.				
03		Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper.				
04		Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.				
05	Leaflet	5) Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print - Single side				
06		Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print – both side				
07		Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Single Side				
08		Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Both side.				
09	Change of Cotton Fabrics Flex banner for Hoarding	Size-per square ft. (with fitting in 8 nos. block institute and 2 nos. Of urban unit inside Jagatsinghpur district)				
10	Wall Painting	Size – per sq. ft., Process – Multi color with water proof ,plastic enamel paint, one base cote primer coating on the wall before painting.				
11	Painting of natural art	Size – per sq. ft., Process – Multi colour (four colour), Real Art Painting with enamel color.(plastic paint weather registrant) one base cote primer coating on wall before painting.)				
12	Health Institute Branding	Size – per Sq.ft. Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.				
13	Tin Plate	Size- per sq. ft : Tin coated, Thickness- 1 mm with message and fitting of different block, Urban and HWCs inside of Jagatsinghpur district as per order.				
14	Screening register	Unit : Register; Size : (Closing Size : 32 cmx20 cm) Inner Pages: per sheet; Inner paper: 70 GSM Map litho White Paper ; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.				


  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur

15	Display Board	Size – per sq. ft., Iron gauze bar 20 Gauze 1”, Printing of message on fabric cotton flex & pasting print quality front lit them.				
16	Branding Board	Size per Sq. ft. Board Printed Tin sheet 1 MM OR Tin sheet pasted with Matt Laminated printed vinyl with the frame of 1”x1”.L angle MS rod fixed with 2 legs 2”x2” L angle MS rod of height 4.5 out of which 1ft to be inside ground with Concrete reinforcement. All fixing of the display board should be done by applying welding for strength and longevity .				
17	Institution coloring	Size – per sq. ft., Process – Multi color with water proof ,plastic enamel paint, one base cote primer coating on the wall before coloring.				
18	ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.				
19	Folder	Size: A3, process-Multy color, paper-170 GSM Art paper 3 fold with six pages.				
20	Folder	Size : A4 process: Multi color Paper-170 GSM Art paper 2 page Folder				
21	TABULEX (RATH)	(ii) TATA AC Vehicle Covering Four side & top with Iron frame & fixing of flex, fixing of 1 Mike set with Battery DOL as per approval( Maximum 10 km/ litter ) per day.				
22	Handout for AWW /ASHA /ANM(6 Page Folder)	<b>Unit: Booklet;</b> Paper Size : A4; No. of sheets : 1; Printing Type : <b>Both side Multi color;</b> Paper Quality : 170 GSM White glossy paper				
23	ASHA Standard Reporting Format in Duplicate	Unit: Booklet; Paper Size : A5; No. of sheets : 100 (single side printing); Printing Type : Single side, Black, Paper Quality : 70 GSM White Map litho paper;				
24	Treatment Card	Size: A4, paper 300 GSM non glossy, printing multi color.				
25	Booklet	Size: A4 printing multi color with paper GSM-80 and stitching on middle.				
26	Booklet	Size: A4 printing single color with paper GSM-80 and stitching on middle.				
27	Reporting Format A4 size 2 side	Unit: single sheet; Paper Size : A4; No. of sheets : 100; Printing Type : one side Black color Paper Quality : 70 GSM White paper				
28	Reporting Format A4 size 2 side pad	Unit: Booklet; Paper Size : A4; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper, Binding : Top side				

29	Reporting Format A4 size 1 side	Unit: single sheet; Paper Size: A4; No. of sheets: 100; Printing Type : single side Black color; Paper Quality : 70 GSM White paper.			
30	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: both side Black color Paper Quality: 70 GSM White paper, Binding: top binding.			
31	Reporting Format legal size	Unit: Booklet; Paper Size : Legal; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper			
32	HMIS reporting format- SC/PHC/CHC /DHH	Unit: Booklet; Institutions reporting Format (SC/PHC/CHC/DHH) <b>SC Format</b> -pages required per inst. Per annum -8 pages x 2 nos (original + Duplicate) = 16 pages P.M. x 12 months=192 pages no. of pages.			
		<b>PHC/UPHC Format</b> – pages required per inst. Per annum-12 pages x 2 nos.(original+ Duplicate)=24 pages P.M. x 12 months=288 pages.			
		<b>CHC Format</b> -pages required per inst. Per annum-13 pages x 2 nos.(Original + Duplicate)=26 pages P.M. x 12 months=312 pages, no. of pages.			
		<b>DHH Format</b> -pages required per inst. Per annum 14 pages x 2 nos. (original + Duplicate)=28 pages per month x 12 months=336 pages. Paper size A4 paper quality 70 GSM White Map litho paper. Binding Type :Top pad binding, printing cover pages mentioning month, year, name of the facility with hard straw board on back side , Cover page 1 colour cover page of 70 GSM .one original & duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tear able.			
33	ASHA Voucher	<b>Unit: Booklet;</b> Paper Size : 1/8 ; No. of sheets : 100 ( single copy ); Printing Type : <b>Single side black, Receipt binding with par-potting &amp; unique numbering;</b> Paper Quality : 60 GSM color Map litho paper; cover print paper : 130 GSM art paper; Print: Both side; colour: Multi colour. Solvent Vinyl Printing (per sq. ft. wise ) Eco Solvent Vinyl Printing (per sq. ft. wise)			
34	Vinyl Printing				
35					
36	SUN BOARD	Vinyl multi color Printing of message on fabric cotton flex & pasting print quality front lit them.			
37	Branding Material Acrylic Signage Display (Sandwich Model)	Base Sheet : Imported Acrylic Sheet Size (3x2)Ft & 4mm thickness Topping Sheet : Imported Acrylic Sheet Size (3x2)Ft & 3mm thickness Fitting Type : Wall Mount by stainless steel stud (all 4 corners) Printing : Multicolor Eco-solvent Vinyl Printing Lamination : Gloss type Lamination Pasting: Flash cut and should be orderly pressing without air bubble inside LED fitting fro Glow with sign in light.			
38	Standee	Width: 3 feet with aluminum base with cotton fabric flex Height: flexible aluminum rod extendable minimum of 6 feet height. Flex: 3 feet x 6 feet (two set)			


  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur

39	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.				
40	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.				
41	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.				
42	Mini Hoarding (6 x3) ft	<b>Hoarding category-1</b> Display area : 6 ft x3 ft Display material : Preferably 18 gauge printed or printed tin plate Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron angle should be used)				
43	Mini Hoarding Installation (4 x 3) ft	<b>Hoarding category-2</b> Display area : 4 ft x3 ft Display material : Preferably 18 gauge printed or printed tin plate Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length: 4 ft L iron angle (2" L iron angle should be used)				
44	Hoarding Installation (8' x 16') fts.	<b>Hoarding category-3</b> Display area : 8 ft x16 ft Display material: Cotton fabric Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 3 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.-with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.				


  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur

45	Hoarding Installation (6' x 10') fts.	<p><b>Hoarding category-4</b>  Display area : 6 ft x10 ft  Display material: Cotton fabric Flex should be best quality with digital multicolored printing.  Flex should be fixed by iron pipes and GI wires.  Base (Inside ground) 2.5 ft in side cement concrete  Above Ground: structure of the hoarding will be 5 ft. height from ground level.  Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2"  The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.  The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>			
46	Mini Hoarding Installation (4' x 3') fts.	<p><b>Hoarding category-5</b>  Display area : 4 ft x3 ft  Display material: Cotton fabric Flex should be best quality with digital multicolored printing.  Total height inside the ground 10 fts. L iron angle ( 2 ' L iron angle should be used) based (inside ground) 2 fts. Inside cement concrete.  Above ground to TOP 8 fts.  Length : 4 fts. L iron angle ( 2 " L iron angle should be used.)  Installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>			
47	Mini Hoarding Installation (6' x 3') fts.	<p><b>Hoarding category-6</b>  Display area : 6ft x3 ft  Display material: Cotton fabric Flex should be best quality with digital multicolored printing.  Total height inside the ground 10 fts. L iron angle ( 2 ' L iron angle should be used) based (inside ground) 2.5 fts. Inside cement concrete.  Above ground to TOP 8 fts.  Length : 6 fts. L iron angle ( 2 " L iron angle should be used.) Mid joist bar to support display material: 3 fts. L iron angle ( 2 L iron angle should be used.  Installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>			
48	Mini Hoarding Installation ( 10x 8) fts.	<p><b>Hoarding category-7</b>  Display area : 10 ft x8 ft.  Display material: Cotton fabric Flex should be best quality with digital multicolored printing  Total height from inside the ground : 10 fts. L iron angle (2" L iron Angle should be used)  Base(inside ground) 2 ft. in side cement concrete  Above Ground : Ground to Top 8 fts.  Length : 4 fts. L iron angle ( 2 L iron angle should be used)  hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.</p>			<p style="text-align: right;"><i>ks</i>  07/10/2022  C D M &amp; PHO-Cum-DMD  Jagatsinghpur</p>
49	Hoarding Installation	<p><b>Hoarding category-8</b>  Display area : 15 ft x30 ft</p>			

	(15' x 30') fts.	Display material: Cotton fabric Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 3 ft in side cement concrete Frame should be iron angle Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.				
50	Hoarding Installation (15' x 12') fts.	Hoarding category-9 Display area : 15 ft x12 ft Display material: Cotton fabric Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 3 ft in side cement concrete Frame should be iron angle Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.				
51	Canopy	Foldable/Movable size; 6'x6'x7' Fabric media: water proof, printing: Multy color printing inside of the canopy to be display.				
52	Sticker	Per sqt. multi color printing in paper water registrant, self gum pasting				
53	Register	Size 42 cm x 29 cm for one side printing with hard card board & cloth binding paper quality : 70 GSM 400 pages				
54	Register	42 cm x 29 cm for both side printing with hard card board & cloth binding paper quality : 70 GSM 100 pages				
55	Register	size 34 cm x 21 cm for one side of register hard card board with cloth binding 70 GSM paper with 100 pages				
56	Register	size 34 cm x 21 cm for both side of register hard card board with cloth binding 70 GSM paper with 400 pages				
57	Register	A4 size forms with both side printing and hardboard binding register of 100 sheets 70GSM, EACH				
58	Register	A4 size forms with one side printing and hardboard binding register of 100 sheets 70GSM, EACH				
59	Register	A3 size forms with one side printing and hardboard binding register of 100 sheets 70GSM, EACH				
60	Register	A3 size forms with both side printing and hardboard binding register of 100 sheets 70GSM, EACH				
61	Register	A3 Size both side printing multi colored front page & back page , inner black & white printing 100GSM paper with hard board binding. per 100 sheets				
62	Register	A3 size both side printing. Multi colour in front page and inner 4 multi colored index pages. One register contain 250 pages excluding front, back and index pages with numbering. Hard board binding.100GSM				

  
 CDM & PHO-Cum-DMD  
 Jagatsinghpur

63	Register	Size: A4, multicolor (cover page with inner 3 pages) inner 60 pages black & white 70 GSM Map Litho paper, spiral binding. 170 GSM art paper (cover page & back page with inner 3 pages)				
64	Register	A3 size landscape 72 GSM one side printing per 100 sheets with binding				
65	Register	A3 size landscape 72 GSM both side printing with binding				
66	Register	A3 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside:</b> 95 GSM map litho <b>Printing:</b> Black and white; both side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left side; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 101 sheets (with number)				
67	Register	A3 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside:</b> 95 GSM map litho <b>Printing:</b> Black and white; both side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left side; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 151 sheets (with number)				
68	Register	A4 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside :</b> 70 GSM paper with two carbon copies <b>Printing:</b> Black and white; single side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left; Perfect sewn; with perforation <b>No. of Pages:</b> 50 sheets + 2 sheets carbon copy each (with number) for carbon copies same number as original with perforation.				
69	Register	A4 size <b>Cover:</b> 300 GSM Hard binding with red cloth/rexin corners with end leaves <b>Inside :</b> 70 GSM map litho paper <b>Printing:</b> Black and white; both side; portrait <b>Binding:</b> Good quality hard board register binding; binding gutter on left; Perfect sewn <b>Fabrication:</b> Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side <b>No. of Pages:</b> 100 sheets (with number)				
70	Register	<b>Letter size Inside:</b> 50GSM paper with one yellow carbon copy <b>Printing:</b> Black and white; single side; landscape <b>Binding:</b> Good quality hard board register binding; binding gutter on left; with Perforation <b>No. of Pages:</b> 50 sheets white + 50 sheets yellow.				
71	Log book	Half Crown sized 170GSM Front and back pages. Single colour back side and front side. Half crown sized 70GSM Map Litho inner white paper with black and white both side printing. One booklet contains 36 pages excluding front side & back side.				
72	Challan book	Size-Demy 1/4 <sup>th</sup> ,process-Single side Black & white, Binding-Original white(perforating),duplicate yellow(perforating),Triplet pink, Each Book contains 150 pages(3×50) with hard board binding				

  
 5/11/2022  
 CDM & PHO-Cum-DMD  
 Jagatsinghpur


73	Reporting Format	A3 size Forms with one side printing 70GSM,Per hundred				
74	Reporting Format	A3 size Forms with both side printing 70GSM,				
75	Reporting Format	A4 size forms with one side printing perforated sheet ,70GSM,				
76	Reporting Format	A4 size forms with both side printing 70GSM,				
77	Reporting Format	A4 size forms with one side printing 100GSM,				
78	Reporting Format	A4 size landscape 50 GSM one side printing				
79	Reporting Format	A4 size landscape 50 GSM both side printing				
80	Format	A4 size forms with one side multi color printing 70 GSM Map litho paper each				
81	Format	A4 size forms with both side multi color printing 70 GSM Map litho paper each				
82	Reporting Format	A4 size forms with both side printing and binding (with cardboard in last page) with 100 sheet with perforation 70GSM,				
83	Reporting Format	A4 size forms with one side printing with 100 sheet pad with perforation70GSM				
84	Reporting Format	A4 size forms with one side printing multi color with 100 sheet pad with perforation70GSM,				
85	Reporting Format	A4 size forms with both side printing multi color with 100 sheet pad with perforation 70GSM,				
86	Reporting Format	A4 size forms with both side printing with 1 sheet with perforation 300GSM,				
87	Reporting Format	A4 size forms with one side printing with 1 sheet with perforation 300GSM				
88	Reporting Format	A4 size form with one side printing 200 GSM Paper one side printing .				
89	Reporting Format	A4 size form with one side printing 200 GSM Paper both side printing .				
90	Reporting Format	1/8 size forms with one side printing with 100 sheet pad with perforation70GSM.				
91	Reporting Format	1/4 size forms with one side printing with 100 sheet pad with perforation70GSM.				
92	Reporting Format	1/6 size forms with one side printing with 100 sheet pad with perforation70GSM.				
93	Reporting Format	1/16 size forms with one side printing with 100 sheet pad with perforation70GSM.				
94	Reporting Format	1/32 size Reg. Receipt with one side printing with 100 sheets A4 pad with numbering with book binding & perforation 48 GSM.				
95	Reporting Format	1/16 size Reg. Receipt with one side printing with 100 sheets pad with numbering with book binding & perforation 48 GSM.				
96	Reporting Format	A3 size Forms with one side printing 300GSM, Landscape centre folding with binding and belt .				
97	Reporting Format	A5 300GSM, both side printing .				

98	Reporting Format	A5 300GSM, one side printing .				
99	Reporting Format	Colour Envelopes size 15X12 48 GSM.				
100	Reporting Format	Colour Envelopes size 12X12 48 GSM .				
101	Reporting Format	Colour Envelopes size 12X10 48 GSM.				
102	Reporting Format	Colour Envelopes size 10X8 48 GSM.				
103	Reporting Format	Colour Envelopes size 6.5X8.5 48 GSM.				

Rate should be quoted as per unit mentioned in the financial bid.

Rates should be quoted inclusive of cost of Sheet, Printing, block wise quantity packing, Transportation, DTP as per specifications & also inclusive of all taxes as applicable. The order may be placed for other items not in the list having similar specifications as above.

(Signature and seal of the authorized signature)

  
 07/10/2020  
 C D M & PHO-Cum-DMD  
 Jagatsinghpur