



OFFICE OF THE COLLECTOR & DISTRICT MAGISTRATE: JAGATSINGHPUR
(District Emergency Operation Centre)
(Email.- deojsp@gmail.com) Ph.No. 06724-220368

Order No. 10235dt. 06/07 /2024**TENDER CALL NOTICE**


Sealed quotations are invited from intending person /Agencies/ Supplier having valid TIN for construction/ installation of Tsunami Signages in Identified Tsunami villages in Jagatsinghpur district to make Coastal Communities resilient against Tsunami, as a part of Odisha Tsunami Preparedness Programme (OTPP). The works detail information on the construction/ installation of Tsunami Signages, Design, Evaluation Form, Term & Condition, and Financial Bid are attached at Annexure-A, B, C, D

SCHEDULE OF EVENT	
Last date of receipt of sealed quotation	18.07.2024
Opening of quotations	20.07.2024

The evaluation forms and formats of quotation completed in all respect must be sealed cover super scribed as "Construction/ installation of Tsunami Signages" addressed to Collector, Jagatsinghpur should be reached at District Emergency Operation Centre, Collectorate, Jagatsinghpur through Speed Post/ Registered Post/ Courier by 5.00PM of 18.07.2024 and shall be opened on 20.07.2024 at 4PM in the office Chamber of Collector, Jagatsinghpur. No tenders will be received after due date and time.


The intending person /Agencies/ Supplier will have to pay Rs.20,000/- (Rupees Twenty thousand) only as earnest money in shape of A/C payee demand draft in favour of " Collector, Jagatsinghpur" on any Nationalized bank/ Scheduled Bank payable at Jagatsinghpur which will be refundable.

The undersigned reserves the rights to accept/ modify/ reject any or all the quotation(s) fully or partially without assigning any reason thereof.


Collector, Jagatsinghpur


Memo No. 10236 / Dated 06/07/24

Copy to the DIO, NIC, Jagatsinghpur for information with a request to host the tender call notice in district website for wide publicity.


Collector, Jagatsinghpur


Memo No. 10237 / Dated 06/07/24

Copy to the DI & PRO, Jagatsinghpur for information and necessary action.


Collector, Jagatsinghpur

Memo No. 10238 / Dated 06/07/24

Copy to the all members of Tender committee for information and necessary action. They are requested to attend tender committee meeting at Collectorate, Jagatsinghpur on 20.07.2024 at 4.00PM in the office Chamber of undersigned.


Collector, Jagatsinghpur

EVALUATION FORM

1	Name of the Supplier/Bidder		
2	Full Address	AT.	
		PO.	
		PS.	
		Dist.	
		PIN.	
3	Contact details (Mobile No.)		
4	Email ID		
5	Registration number of the firms with True copy		
6	Aadhar No. (With True Copy)		
7	GST Registration No. with place(Copy to be attached)		
8	Latest G.S.T return copy		
9	TIN/PAN No. (With True Copy)		
10	Up-to-date I.T. return (Copy to be attached)		

I do hereby certify that the above mentioned particulars are true and correct.

Full Signature of the Bidder with seal

DECLARATION

It is hereby declared that I/We the undersigned have read and examined all terms and conditions of the Bid document for which I/We have signed and submitted the bid under proper lawful power of attorney. It is also certified that all the terms and conditions of the bid document are fully acceptable to me/us and I/We will abide by the terms and conditions laid in the documents. This is also certified that our principal manufacturing firm has no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Full Signature of the Bidder with seal

3/2024

Annexure-B

Work Details

SI No.	Description	Design & Dimension	Nos. of Signage to be installed																																																												
1	<p>Providing and erecting direction and place identification retro-reflectorized sign(Single side) as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminum sheeting 4 mm thick with area not exceeding 0.9 sqm supported on frame made out of 40NB SS pipe main frame, 20mm SS square pipe back support frame one no.80NB SS pipe post firmly fixed to the ground by means of properly designed foundation with M-20 grade cement concrete 45X45X75 cm, 60 cm below ground level as per approved drawing.</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Unit</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Unit=sqm</td> <td></td> <td></td> </tr> <tr> <td>Taking output=2.23sqm(6'X4')</td> <td></td> <td></td> </tr> <tr> <td>I) Excavation for foundation</td> <td>cum</td> <td>0.240</td> </tr> <tr> <td>ii) Cement concrete M-20 grade (fdn.)</td> <td>Cum</td> <td>0.300</td> </tr> <tr> <td>a) Labour (for fixing at site)</td> <td></td> <td></td> </tr> <tr> <td>Mate</td> <td>day</td> <td>0.010</td> </tr> <tr> <td>Mazdoor</td> <td>day</td> <td>0.300</td> </tr> <tr> <td>B) Material</td> <td></td> <td></td> </tr> <tr> <td>20NB SS square pipe back support frame 6.14mtr @1.14kg/mtr</td> <td>Kg</td> <td>7.000</td> </tr> <tr> <td>40NB SS pipe main frame 13.27mtr @ 2.41kg/mtr</td> <td>Kg</td> <td>32.000</td> </tr> <tr> <td>80NB SS pipe post with top cover 8.54 mtr @ 3.08kg/mtr</td> <td>Kg</td> <td>26.303</td> </tr> <tr> <td></td> <td></td> <td>65.303</td> </tr> <tr> <td>Westage @ 5%</td> <td>Kg</td> <td>3.265</td> </tr> <tr> <td>Total</td> <td>Kg</td> <td>68.568</td> </tr> <tr> <td>Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 2.23 sqm</td> <td>sqm</td> <td>2.230</td> </tr> <tr> <td>Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.</td> <td></td> <td>37551.875</td> </tr> <tr> <td>Cost of lettering</td> <td>LS</td> <td>1.00</td> </tr> <tr> <td>b) Machinery</td> <td></td> <td></td> </tr> <tr> <td>Tractor-trolley</td> <td>Hour</td> <td>0.020</td> </tr> </tbody> </table>	Description	Unit	Quantity	Unit=sqm			Taking output=2.23sqm(6'X4')			I) Excavation for foundation	cum	0.240	ii) Cement concrete M-20 grade (fdn.)	Cum	0.300	a) Labour (for fixing at site)			Mate	day	0.010	Mazdoor	day	0.300	B) Material			20NB SS square pipe back support frame 6.14mtr @1.14kg/mtr	Kg	7.000	40NB SS pipe main frame 13.27mtr @ 2.41kg/mtr	Kg	32.000	80NB SS pipe post with top cover 8.54 mtr @ 3.08kg/mtr	Kg	26.303			65.303	Westage @ 5%	Kg	3.265	Total	Kg	68.568	Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 2.23 sqm	sqm	2.230	Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.		37551.875	Cost of lettering	LS	1.00	b) Machinery			Tractor-trolley	Hour	0.020	Annexure-C & (6ftX4ft)	4
Description	Unit	Quantity																																																													
Unit=sqm																																																															
Taking output=2.23sqm(6'X4')																																																															
I) Excavation for foundation	cum	0.240																																																													
ii) Cement concrete M-20 grade (fdn.)	Cum	0.300																																																													
a) Labour (for fixing at site)																																																															
Mate	day	0.010																																																													
Mazdoor	day	0.300																																																													
B) Material																																																															
20NB SS square pipe back support frame 6.14mtr @1.14kg/mtr	Kg	7.000																																																													
40NB SS pipe main frame 13.27mtr @ 2.41kg/mtr	Kg	32.000																																																													
80NB SS pipe post with top cover 8.54 mtr @ 3.08kg/mtr	Kg	26.303																																																													
		65.303																																																													
Westage @ 5%	Kg	3.265																																																													
Total	Kg	68.568																																																													
Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 2.23 sqm	sqm	2.230																																																													
Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.		37551.875																																																													
Cost of lettering	LS	1.00																																																													
b) Machinery																																																															
Tractor-trolley	Hour	0.020																																																													
2	<p>Providing and erecting direction and place identification retro-reflectorized sign(Single side) as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminum sheeting 4 mm thick with area more than 0.9sqm supported on frame made out of 40NB SS pipe main frame, 20mm SS square pipe back support frame two no.80NB SS pipe post firmly fixed to the ground by means of properly designed foundation with M-20 grade cement concrete 45X45X75 cm, 60 cm below ground level as per approved drawing.</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Unit</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Unit=sqm</td> <td></td> <td></td> </tr> <tr> <td>Taking output=0.56sqm(2'X3')</td> <td></td> <td></td> </tr> <tr> <td>I) Excavation for foundation</td> <td>cum</td> <td>0.240</td> </tr> <tr> <td>ii) Cement concrete M-20 grade (Fdn.)</td> <td>Cum</td> <td>0.300</td> </tr> <tr> <td>a) Labour (for fixing at site)</td> <td></td> <td></td> </tr> <tr> <td>Mate</td> <td>day</td> <td>0.010</td> </tr> <tr> <td>Mazdoor</td> <td>day</td> <td>0.200</td> </tr> <tr> <td>B) Material</td> <td></td> <td></td> </tr> <tr> <td>80NB SS pipe post with top cover 3.36mtr @ 3.08kg/mtr</td> <td>Kg</td> <td>10.349</td> </tr> <tr> <td>20NB SS square pipe back support frame 2.44mtr @1.14kg/mtr</td> <td>Kg</td> <td>2.780</td> </tr> <tr> <td></td> <td></td> <td>2.780</td> </tr> <tr> <td>Westage @ 5%</td> <td>Kg</td> <td>0.139</td> </tr> <tr> <td>Total</td> <td>Kg</td> <td>2.919</td> </tr> <tr> <td>Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 0.56sqm</td> <td>sqm</td> <td>0.560</td> </tr> <tr> <td>Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.</td> <td></td> <td>4854.08</td> </tr> <tr> <td>Cost of lettering</td> <td>LS</td> <td>1.00</td> </tr> <tr> <td>b) Machinery</td> <td></td> <td></td> </tr> <tr> <td>Tractor-trolley</td> <td>Hour</td> <td>0.020</td> </tr> </tbody> </table>	Description	Unit	Quantity	Unit=sqm			Taking output=0.56sqm(2'X3')			I) Excavation for foundation	cum	0.240	ii) Cement concrete M-20 grade (Fdn.)	Cum	0.300	a) Labour (for fixing at site)			Mate	day	0.010	Mazdoor	day	0.200	B) Material			80NB SS pipe post with top cover 3.36mtr @ 3.08kg/mtr	Kg	10.349	20NB SS square pipe back support frame 2.44mtr @1.14kg/mtr	Kg	2.780			2.780	Westage @ 5%	Kg	0.139	Total	Kg	2.919	Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 0.56sqm	sqm	0.560	Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.		4854.08	Cost of lettering	LS	1.00	b) Machinery			Tractor-trolley	Hour	0.020	Annexure-D & (2ftX3ft)	20			
Description	Unit	Quantity																																																													
Unit=sqm																																																															
Taking output=0.56sqm(2'X3')																																																															
I) Excavation for foundation	cum	0.240																																																													
ii) Cement concrete M-20 grade (Fdn.)	Cum	0.300																																																													
a) Labour (for fixing at site)																																																															
Mate	day	0.010																																																													
Mazdoor	day	0.200																																																													
B) Material																																																															
80NB SS pipe post with top cover 3.36mtr @ 3.08kg/mtr	Kg	10.349																																																													
20NB SS square pipe back support frame 2.44mtr @1.14kg/mtr	Kg	2.780																																																													
		2.780																																																													
Westage @ 5%	Kg	0.139																																																													
Total	Kg	2.919																																																													
Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 0.56sqm	sqm	0.560																																																													
Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.		4854.08																																																													
Cost of lettering	LS	1.00																																																													
b) Machinery																																																															
Tractor-trolley	Hour	0.020																																																													

03/2024

File No. EMERG-26011711/2024-EMERGENCY-JAGATPSINGHPUR COL

side) as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminum sheeting 4 mm thick with area more than 0.9sqm supported on frame made out of 40NB SS pipe main frame, 20mm SS square pipe back support frame two no.80NB SS pipe post firmly fixed to the ground by means of properly designed foundation with M-20 grade cement concrete 45X45X75 cm, 60 cm below ground level as per approved drawing.

3

Description	Unit	Quantity
Unit=sqm		
Taking output=0.56sqm(2'X3')		
I) Excavation for foundation	cum	0.240
ii) Cement concrete M-20 grade (Fdn.)	Cum	0.300
a) Labour (for fixing at site)		
Mate	day	0.010
Mazdoor	day	0.200
B) Material		
80NB SS pipe post with top cover 3.36mtr @ 3.08kg/mtr	Kg	10.349
20NB SS square pipe back support frame 2.44mtr @1.14kg/mtr	Kg	2.780
		2.780
Westage @ 5%	Kg	0.139
Total	Kg	2.919
Aluminium sheeting fixed with encapsulated lens type reflective sheeting size 0.56sqm	sqm	0.560
Add 2 percent of cost of materials for drilling holes, nuts, bolts, fabrication etc.		4854.08
Cost of lettering	LS	1.00
b) Machinery		
Tractor-trolley	Hour	0.020


**Annexure-
E& (3ftX2ft)**

4

03/2024

Annexure-C**Term & Condition**

1. The civil structure and installation of hoarding will be installed at selective places in Jagatsinghpur district.
2. The Bidder has to be completed the work within 15 days after finalation of bid.
3. The Bidder shall furnish copy of the PAN Card & Aadhar Card.
4. The Bidder shall submit the copy of GST Certificate.
5. The person /Agencies/ Supplier will evaluate and compare the quotations determined to be substantially responsive i.e., which (a) are properly signed and (b) confirm to the terms and conditions, and specifications. The quotations would be evaluated for all the items together given in the quotation format.
6. Each bidder shall submit only one quotation as per the enclosed format
7. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
8. The transportation and installation charges are also be included in the bid price/ quoted price at site.
9. In case of any dispute the decision of the Collector, Jagatsinghpur shall be final and binding.



Collector, Jagatsinghpur

03/2024

Annexure-D**FINANCIAL BID**

1. Name of the person /Agencies/ Supplier :

2. Address :

Sl. No	Item Description	Specification	Nos. of units	Quoted price including all taxes		Remarks
				In Rs.	In figure	
1	Tsunami Information Board	6ftX4ft	04			
2	Tsunami Evacuation Route Signage Board	2ftX3ft	20			
3	Tsunami Safe Shelter Location Board	3ftX2ft	04			

Full Signature of the Bidder with seal