



OFFICE OF THE COLLECTOR & DISTRICT MAGISTRATE: JAGATSINGHPUR
(District Emergency Operation Centre)
(Email.- deojsp@gmail.com) Ph.No. 06724-220368

No. 23332

dt. 15/12.../2025

TENDER CALL NOTICE

Sealed quotations are invited from intending person /Agencies/ Supplier having valid TIN for construction/ installation of Tsunami Signages in Identified Tsunami villages in Jagatsinghpur district to make Coastal Communities resilient against Tsunami, as a part of Odisha Tsunami Preparedness Programme (OTPP). The works detail information on the construction/ installation of Tsunami Signages, Design, Evaluation Form, Term & Condition, and Financial Bid are attached at Annexure-A, B, C, D, E, F, G.

SCHEDULE OF EVENT	
Last date of receipt of sealed quotation	23.12.2025 up to 5 P.M.
Opening of quotations	24.12.2025 at 11 A.M.

The Following term and conditions are hereby added in Annexure-B of the tender published in District Website “ <https://jagatsinghpur.odisha.gov.in/> ”

1. The bidder must have successfully completed at least one similar nature of work of **minimum value of Rs.10 lakhs during last 2 (two) Years**. Work Order and completion certificate must be submitted as proof.
2. The bidder must submit a self-attested Warranty Certificate conforming the quality and durability of the materials used (as per the specification given in Annexure-B) as well certifying that the signages shall remain defect-free and stable for a “**minimum period of five (05) years from the date of installation.**”
3. If any bidder has already applied for tender, he/she may submit above two documents mentioned at Sl. No. 1 & 2 **at the time of opening of Tender papers on 24.12.2025.**
4. The Intending person/Agencies/supplier will have to pay Rs. 20,000/- (Rupees Twenty thousand) only as earnest money in shape of Bank Draft in favour of Collector, Jagatsinghpur which is refundable and to pay Rs. 2000/- as tender paper cost in shape of bank draft in favour of Collector, Jagatsinghpur which is non-refundable.

The undersigned reserves the rights to accept/ modify/ reject any or all the quotation(s) fully or partially without assigning any reason thereof.

Collector, Jagatsinghpur

Memo No. 23333 / Dated 15/12/2025

Copy to the DIO, NIC, Jagatsinghpur for information with a request to host the tender call notice in district website for wide publicity.

Collector, Jagatsinghpur

Memo No. 23334 / Dated 15/12/2025

Copy to the DI & PRO, Jagatsinghpur for information and necessary action.

Collector, Jagatsinghpur

Memo No. 23335/ Dated 15-12-2025

Copy to the all members of Tender committee for information and necessary action. They are requested to attend tender committee meeting at Collectorate, Jagatsinghpur on 24.12.2025 at 11 AM in the office Chamber of Additional District Magistrate (Revenue), Jagatsinghpur.


Collector, Jagatsinghpur

EVALUATION FORM

1	Name of the Supplier/Bidder		
2	Full Address	AT.	
		PO.	
		PS.	
		Dist.	
		PIN.	
3	Contact details (Mobile No.)		
4	Email ID		
5	Registration number of the firms with True copy		
6	Aadhar No. (With True Copy)		
7	GST Registration No. with place(Copy to be attached)		
8	Latest G.S.T return copy		
9	TIN/PAN No. (With True Copy)		
10	Up-to-date I.T. return (Copy to be attached)		

I do hereby certify that the above mentioned particulars are true and correct.

Full Signature of the Bidder with seal

DECLARATION

It is hereby declared that I/We the undersigned have read and examined all terms and conditions of the Bid document for which I/We have signed and submitted the bid under proper lawful power of attorney. It is also certified that all the terms and conditions of the bid document are fully acceptable to me/us and I/We will abide by the terms and conditions laid in the documents. This is also certified that our principal manufacturing firm has no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Full Signature of the Bidder with seal

Signages Specification

SI No	Signage Name	Item Description
01	Tsunami Information Board	<p>Providing fitting fixing of shoulder mounted information sign board of size 6ft x 4ft (Single side) with alphabets, destination sign boards with picture and logo sign board with 5 years warranty, using retro-reflectorized sign as per IRC :67 made of high intensity grade sheet vide clause 801.3.</p> <p>The signage to be fixed over aluminium sheeting 2.0mm thick or Aluminium composite material sheet with overall thickness of 4mm with area exceeding 0.9sqm fixed over back support frame of min. 40x40x5mm angle mounted on two numbers of mild steel circular pipe 65NB, 3.2mm thickness and 4.5m meter total height firmly fixed on the ground by means of properly design foundation with M25 grade cement concrete 45x45x60 cm below ground level.</p> <p>Destination names, numerals, symbols, pictures, logos etc of specified shape and size as mentioned in drawings should be with Type XI micro prismatic grade retro-reflective sheeting materials. The destination picture and logos in the signboard should be multicolor as per the specification.</p> <p>The rate includes the cost of labour for digging pit in all classes of soil, concreting, fixing the posts with base plates welded at bottom for anchorages and painting all exposed non reflective faces, support structure and connections, including all conveyance of material to the site etc complete as per as per the indicative design drawing (Design-1) and as directed by the officer-in-charge.</p>
02	Tsunami Evacuation Route Signage	<p>Providing fitting fixing of shoulder mounted information sign board of size 2ft x 3ft (Single side) with alphabets, destination sign boards with picture and logo sign board with 5 years warranty, using retro-reflectorized sign as per IRC :67 made of high intensity grade sheet vide clause 801.3.</p>

		<p>The signage to be fixed over aluminium sheeting 2.0mm thick or Aluminium composite material sheet with overall thickness of 4mm with area exceeding 0.9sqm fixed over back support frame of min. 35x35x3mm angle mounted on two numbers of mild steel circular pipe 65NB, 3.2mm thickness and 4.5m meter total height firmly fixed on the ground by means of properly design foundation with M25 grade cement concrete 45x45x60 cm below ground level.</p> <p>Destination names, numerals, symbols, pictures, logos etc of specified shape and size as mentioned in drawings should be with Type XI micro prismatic grade retro-reflective sheeting materials. The destination picture and logos in the signboard should be multicolor as per the specification.</p> <p>The rate includes the cost of labour for digging pit in all classes of soil, concreting, fixing the posts with base plates welded at bottom for anchorages and painting all exposed non reflective faces, support structure and connections, including all conveyance of material to the site etc complete as per as per the indicative design drawing (Design-1) and as directed by the officer-in-charge.</p>
0.	Tsunami Shelter Location Signage	<p>Providing fitting fixing of shoulder mounted information sign board of size 3ft x 2ft (Single side) with alphabets, destination sign boards with picture and logo sign board with 5 years warranty, using retro-reflectorized sign as per IRC :67 made of high intensity grade sheet vide clause 801.3.</p> <p>The signage to be fixed over aluminium sheeting 2.0mm thick or Aluminium composite material sheet with overall thickness of 4mm with area exceeding 0.9sqm fixed over back support frame of min. 35x35x3mm angle mounted on two numbers of mild steel circular pipe 65NB, 3.2mm thickness and 4.5m meter total height firmly fixed on the ground by means of properly design foundation with M25 grade cement concrete 45x45x60 cm below ground level.</p>

		<p>Destination names, numerals, symbols, pictures, logos etc of specified shape and size as mentioned in drawings should be with Type XI micro prismatic grade retro-reflective sheeting materials. The destination picture and logos in the signboard should be multicolor as per the specification.</p> <p>The rate includes the cost of labour for digging pit in all classes of soil, concreting, fixing the posts with base plates welded at bottom for anchorages and painting all exposed non reflective faces, support structure and connections, including all conveyance of material to the site etc complete as per as per the indicative design drawing (Design-1) and as directed by the officer-in-charge.</p>
--	--	--

Annexure-C

Terms & Conditions

The civil structure and installation of hoarding in 10 nos. of villages at selective places in Erasama and Balikuda Block (Village names are in the below mention table).

1. The Bidder has to be completed the work within 15 days after finalation of bid.
2. The Bidder shall furnish copy of the PAN Card & Aadhar Card.
3. The Bidder shall submit the copy of GST Certificate.
4. The person /Agencies/ Supplier will evaluate and compare the quotations determined to be substantially responsive i.e., which (a) are properly signed and (b) confirm to the terms and conditions, and specifications. The quotations would be evaluated for all the items together given in the quotation format.
5. Each bidder shall submit only one quotation as per the enclosed format.
6. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
7. The transportation and installation charges are also be included in the bid price/ quoted price at site.
8. Payment will be done after post installation evaluation by competent authority or the team formed by District administration.
9. The intending bidder will bring the material specimen as per the given Annexure-B) which will be used in the signages.
10. In case of any dispute the decision of the Collector, Jagatsinghpur shall be final and binding.


Collector, Jagatsinghpur

Name of the villages, for Implementation of Tsunami Ready Recognition Programme Phase II				
Sl No.	District	Block/ULB	GP	Village
1	Jagatsinghpur	Erasama	Ambiki	Kankan(Pimparkani)
2			Dhinkia	Dhinkia
3			Dhinkia	Gobindapur
4			Gadakujanga	Noliasahi
5			Gadaharishpur	Harispur Garh
6			Nuagaon	Nuagaon
7			Padampur	Ramtara
8		Balikuda	Kusupur	Kusupur
9			Naharana	Bairakha
10			Marichipur	Ichhapur


Collector, Jagatsinghpur

Annexure-D

FINANCIAL BID

1. Name of the person /Agencies/ Supplier :
2. Address :

Sl. No	Item Description	Specification	Nos. of units	Quoted price including all taxes		Remarks
				In Rs.	In figure	
1	Tsunami Information Board	6ftX4ft	20			
2	Tsunami Evacuation Route Signage Board	2ftX3ft	10			
3	Tsunami Safe Shelter Location Board	3ftX2ft	100			

Full Signature of the Bidder with seal

(Design-1)

ଏହି ଅଞ୍ଚଳକୁ ସୁନାମା ପ୍ରଦାନ ଅଞ୍ଚଳ ଭାବେ ଚିହ୍ନଟ କରାଯାଇଛି ।

ମୁଖ୍ୟତଃ ସମୁଦ୍ର ତଳେ ବଡ଼ ଧରଣର ଭୂମିକମ୍ପ ହେଲେ ସୁନାମା ହେବାର ସମ୍ଭାବନା ଥାଏ । ଏହାର ପ୍ରଭାବରେ ଉପକୂଳ ଅଞ୍ଚଳକୁ ଖୁବ୍ ଶୀଘ୍ର ବିଶାଳ ଓ ବେଗଗାମୀ ଦେଉ ମାଡ଼ିଆସି ଧନକାବନ କ୍ଷୟକ୍ଷତି କରିଥାଏ ।


ସୁନାମା ଆସିବାରୁ ଲକ୍ଷଣ:-

- ସମୁଦ୍ର କଳ ପଛକୁ ସୂକ୍ଷ୍ମି ଯାଇ ସମୁଦ୍ର ଉର୍ଦ୍ଧ୍ୱ ଗୋଡ଼ି, ବାଲି, ଲତ୍ୟାଦି ଦେଖାଯାଏ ।
- ସମୁଦ୍ର ବିଶାଳ ତରଙ୍ଗ ଲକ୍ଷଣ ସ୍ୱରରେ ଗର୍ଜନ କରିଥାଏ ।
- ସୁନାମା ଆସିବା ସମୟରେ ସମୁଦ୍ର ଦେଉ ସାଧାରଣ ଦେଉ ଠାରୁ ଅଧିକ ଉଚ୍ଚ ହୋଇଥାଏ ।

ସୁନାମାରୁ ପୂରଣ:-

- ସୁନାମା ଆସିବାର ସୂଚନା ପାଇବା ମାତ୍ରେ ତୁରନ୍ତ ଉପକୂଳ ଅଞ୍ଚଳକୁ ବିପରୀତ ଦିଗରେ ଦୂର ବିଲୋମିତରକୁ ଅଧିକ ଦୂର ସ୍ଥାନକୁ ଚାଲିଯାଆନ୍ତୁ ।
- ସମୁଦ୍ର କୂଳରେ ଅବାବେଳେ ଯଦି ଭୂମିକମ୍ପ ଅନୁଭବ କରନ୍ତି ବା ସୁନାମାର ଲକ୍ଷଣ ଦେଖନ୍ତି ତେବେ ସତର୍କ ସୂଚନାକୁ ଅପେକ୍ଷା ନକରି ତୁରନ୍ତ ସୁରକ୍ଷିତ ସ୍ଥାନକୁ ଚାଲି ଯାଆନ୍ତୁ ।
- ଆଶ୍ରୟସ୍ଥଳୀକୁ ଯିବା ପାଇଁ ନିରାପଦ ରାସ୍ତାର ବ୍ୟବହାର କରନ୍ତୁ ।
- ସମୟ ଥିଲେ ନିଜର ସୁରୁତ୍ୱପୂର୍ଣ୍ଣ ସାମଗ୍ରୀ ଓ ଜିନିଷପତ୍ର ନେଇ ଯାଆନ୍ତୁ ।
- ସୁନାମା ବିପଦ ଚଳିବା ପର୍ଯ୍ୟନ୍ତ ଆଶ୍ରୟସ୍ଥଳୀରେ ଅପେକ୍ଷା କରି ରୁହନ୍ତୁ ଓ ସ୍ଥାନୀୟ କର୍ତ୍ତୃପକ୍ଷଙ୍କ ସହ ଯୋଗାଯୋଗ କରନ୍ତୁ ।
- ସମୁଦ୍ର ମଧ୍ୟରେ ବୁଢ଼ାରେ ଥିଲେ ଦୂରକୁ ନଥାସି ଉତ୍ତୀର ସମୁଦ୍ର ମଧ୍ୟକୁ ଚାଲିଯାଆନ୍ତୁ । ନିକଟସ୍ଥ ପୋର୍ଟ କର୍ତ୍ତୃପକ୍ଷ, ପୋଲିସ୍ ଓ ବା ସ୍ଥାନୀୟ ପ୍ରଶାସନ ସହ ଯୋଗାଯୋଗ କରନ୍ତୁ ଏବଂ ବିଆସାନ୍ତୁ ।

TSUNAMI HAZARD ZONE



TSUNAMI EVACUATION MAP
JAYDEVKASABAPPAH VILLAGE



OSDMA



ଓଡ଼ିଶା ରାଜ୍ୟ ବିପର୍ଯ୍ୟୟ ପରିଚାଳନା କର୍ତ୍ତୃପକ୍ଷ ଦ୍ୱାରା ଜନସଚ୍ଚରେ ଲାଗି ।




N
▲

EVACUATION ROUTE
EVACUATION DIRECTION
EVACUATION SHELTER
VILLAGE SETTLEMENT


N.B: (Not to Scale)
Board size: 6ft x 4ft
Height : 12'11"
Foundation(M25): 1'6"x1'6"x2'

Sample




(Design-2)

Annexure - e



N.B: (Not to Scale)
 Board Size : 2ftx3ft
 Height: 10ft from GL
 Foundation(M25):
 1'6"x1'6"x2'



SD

82

HO

John

4-3 m/s
15-11-2011


Jan

AB


AC

(Design - 3)

Annexure-G
Annexure-D



N.B: (Not to Scale)
Board Size : 3ftx2ft
Height:10ft from GL
Foundation(M25): 1'6" x 1'6" x 2'



Handwritten notes and signatures around the foundation diagram:
- Top left: *SK*
- Middle left: *8-2*
- Bottom left: *SK*
- Bottom left: *U.S. Mishra / 15-11-2021*
- Top center: *PR*
- Right side: *SK*, *SK*, *PR*